#### The Geography of American Eels



#### David Cairns

**Department of Fisheries and Oceans** 

pre-CITES Workshop

Santo Domingo, Dominican Republic, 4-6 April 2018



































# Nearly all data are from the West Atlantic Region

Stock region		Gen-	Elver	r Growth rate			Silver eel length				Silver eel age				Sex ratio		Fecundity		Nat. mort.		Density		
Contraction of the second second		etic	length	Fresh		Saline		Fresh		Sa	Saline		Fresh		Saline		Sa-	Fre-	Sa-	Fre-	Sa-	Fre-	Sa-
		sam-		F	М	F	М	F	Μ	F	М	F	Μ	F	М	sh	line	sh	line	sh	line	sh	line
		pling																					
	Iceland																						
	Greenland																						
	Labrador																						
	Northern Gulf and Nfld	•		•	•								•			•	•	•		•		•	•
	St. Lawrence Basin	•	•	•												•		•		•		•	
	Southern Gulf	•		•	•	•							•	•		•		•		•	•	•	•
	Scotia-Fundy	•				•	•	•	•	•	•					•				•		•	
	Atlantic Seaboard N.	•						•	•							•	•	•		•	•	•	•
	Atlantic Seaboard Cent.	•				•		•	•	•				•		•	•				•	•	•
	Atlantic Seaboard S.	•				•	•	•		•	•			•	•	•	•					•	•
	US Gulf of Mexico																						
-	Mexico																						
	Carribean																					•	

Source: DFO. 2017. An American eel science framework for Canada: a roadmap towards international science collaboration and stockwide assessment. Report by the National American Eel Working Group of Canada to the Department of Fisheries and Oceans Science Executive Committee.

Panmixia: A breeding system where the entire species forms a single genetic stock.



Panmixia: A breeding system where the entire species forms a single genetic stock.

#### Life cycle of a typical fish stock



#### Life cycle of a typical fish stock



Eel life cycle under panmixis











Depletion of one local population will produce no discernable effect on the overall stock.



PhD student seeks genetic samples.

Purpose: To determine the genetic status of American eels in the Gulf of Mexico and the Caribbean.

gabriela.ulmo-diaz.1@ulaval.ca



1. Evaluate threats

1. Evaluate threats

- Dams
- Habitat degradation
- Parasites
- Contaminants

1. Evaluate threats

Dams

Habitat degradation

Parasites

Contaminants



2. Analytical stock assessment

#### 2. Analytical stock assessment



2. Analytical stock assessment



- 2. Analytical stock assessment
- Challenges:
- Most of range is unfished
- Most of range has no demographic data



3. Trend analysis





3 point moving averages, standardized to 1 at the series beginning

#### 3. Trend analysis

4.5

4.0

3.5

3.0

2.5

2.0

1.5

1.0

0.5 0.0

12

10

8

6

4

2

0

3.5

3.0

2.5

2.0

1.5

1.0

0.5

0.0

1970

1990

2010

3 point moving averages, standardized to 1 at the series beginning

#### Post-doctoral fellow seeks international collaborators in American eel assessment science.



maelle.cornic@dfo-mpo.gc.ca

